

Technical Specification & Compliance
9X19MM BALL CARTRIDGES

(The Technical specifications may be provided in the following format. The bidder shall fill the columns 6 & 7. Bidder's failure to provide the information requested in the columns 6 & 7 may be a reason for the rejection of the Bid. If any discrepancy is observed between the information provided by the bidder in the column 6 & 7 and the other technical information attached to the bid, the information provided herein shall take precedence.)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	
<i>Line Item No.</i>	<i>Description of goods or related service</i>	<i>Sub component</i>	<i>Technical Specifications and standards</i>				
			<i>Purchaser's Requirements</i>			<i>Bidder's Offer</i>	
			<i>Detail</i>	<i>Priority</i>	<i>Yes (Y)/ No (N)</i>	<i>Remarks</i>	
01	9x19mm Ball Cartridges	1. Make	9x19 mm Ball Cartridge (FMJ)				
		2. Country of Origin, manufacturer	To be specified by the bidder				
		3 Is it current manufacture	Year of production should be 2024 or the latest				
		4. Calibre	9x19mm				
		5. Type	For use with 9mm British Sterling Sub Machine Guns, 9mm Browning Pistols, 9mm CZ 75 & CZ 85 Pistols. UZI SMGG, Mini UZI SMGG, MP -05, 9mm NP 20, NP 22, NP 34, Glock 17/19				
		6. a. Bullet b. Case c. Primer d. Propellant e. Base	Brass Jacket/Lead Core Brass Non-Corrosive, Boxer Smokeless Double				
		7. a. Cartridge Length b. Cartridge Weight c. Bullet Weight d. Muzzle Velocity	29.60 mm \pm 0.5 mm 12.5g \pm 1g 8g \pm 0.5 g 375 \pm 10m/s				

		8. Packaging	Macro: 1000 rounds in a steel box Micro: 50 rounds in a plastic or fiber container The package should comply with the above macro and micro rounds requirement. Packing materials should use internationally accepted methods to protect the lifetime of the ammo and need to be covered in an airtight steel box			
		9. Warranty	Manufacturer's Warranty			
		10. Warranty Period	Ten Years			

Name of Bidder:
(Insert complete name of Bidder)

Signature of Bidder:
(Signature of person signing the Bid)

Date:
(Insert Date)

Technical Specification & Compliance
.38 SPECIAL BALL AMMUNITION

(The Technical specifications may be provided in the following format. The bidder shall fill the columns 6 & 7. Bidder's failure to provide the information requested in the columns 6 & 7 may be a reason for the rejection of the Bid. If any discrepancy is observed between the information provided by the bidder in the column 6 & 7 and the other technical information attached to the bid, the information provided herein shall take precedence.)

(1)	(2)	(3)	(4)	(5)	(6)	(7)
Line Item No.	Description of goods or related service	Sub component	Technical Specifications and standards			
			Purchaser's Requirements		Bidder's Offer	
			Detail	Priority	Yes (Y)/ No (N)	Remarks
01	.38 Special Ball Ammunition	1. Make	.38 Special Ball Ammunition (FMJ)			
		2. Model	To be Specified by bidder			
		3. Country of Origin, manufacturer	To be specified by the bidder			
		4. Production	Year of production should be 2024 or the latest			
		5. Calibre	.38 Special			
		6. Type	To be used for .38 Special Revolvers			
		7. a. Bullet b. Case c. Primer d. Propellant e. Base f. Bullet Weight g. Cartridge Weight h. Cartridge Length i Muzzle Velocity	Brass Jacket Brass Non-Corrosive Boxer, Smokeless Double 10.2 g ± 0.5g 15 g ± 1g 39 mm ± 0.5mm 290 m/s ± 10m/s			

		8.Packaging	Macro: 1000 rounds in a steel box Micro: 50 rounds in a plastic or fiber container The package should comply with the above macro and micro rounds requirement. Packing materials should use internationally accepted methods to protect the lifetime of the ammo and need to be covered in an airtight steel box			
		9. Warranty Period	Ten Years			
		10. Warranty	Manufacturer's Warranty			

Name of Bidder:
(Insert complete name of Bidder)

Signature of Bidder:
(Signature of person signing the Bid)

Date:
(Insert Date)

Technical Specification & Compliance

9MM BLANK AMMUNITION

(The Technical specifications may be provided in the following format. The bidder shall fill the columns 6 & 7. Bidder's failure to provide the information requested in the columns 6 & 7 may be a reason for the rejection of the Bid. If any discrepancy is observed between the information provided by the bidder in the column 6 & 7 and the other technical information attached to the bid, the information provided herein shall take precedence.)

(1)	(2)	(3)	(4)	(5)	(6)	(7)
<i>Line Item No.</i>	<i>Description of goods or related service</i>	<i>Sub component</i>	<i>Technical Specifications and standards</i>			
			<i>Purchaser's Requirements</i>		<i>Bidder's Offer</i>	
			<i>Detail</i>	<i>Priority</i>	<i>Yes (Y)/ No (N)</i>	<i>Remarks</i>
01	9mm Blank Ammunition	1. Make	9mm Blank Ammunition			
		2. Country of Origin, manufacturer	To be specified by the bidder			
		3. Is it current manufacture	Year of production should be 2024 or the latest			
		4. Calibre	9mm			
		5. Type	For use with 9mm British Sterling Sub Machine Guns, 9mm Browning Pistols, Taurus Pistols, 9mm CZ 75 & CZ 85 Pistols and UZI SMGG, Mini UZI SMGG, MP - 05, NP 20, NP 22, NP 34 , Glock 17			
		6. a. Case b. Primer c. cartridge length	Brass or Plastic Non Corrosive Boxer 27 mm ± 2mm			

		7.Packaging	Macro: 1000 rounds in a steel box Micro: 50 rounds in a plastic or fiber container The package should comply with the above macro and micro rounds requirement. Packing materials should use internationally accepted methods to protect the lifetime of the ammo and need to be covered in an airtight steel box			
		8. Propellant	Smokeless			
		9. Base	double			
		10. Warranty Period	Ten years			
		11. Warranty	Manufacturer's Warranty			

Name of Bidder:
(Insert complete name of Bidder)

Signature of Bidder:
(Signature of person signing the Bid)

Date:
(Insert Date)